

Product Change Notification

PCN Number	PCN-2022-HAZ01
PCN Title	BL24-SB & BL24-EMX-SB End of Life Notification
PCN Date	5 th July 2022
Type of Change	☒ End of Life Notification ☐ Datasheet / Specification Change ☐ Design Change ☐ Other

Products Affected	
Product Series	Datasheet Link
SPX-BL24 SB Variants	SPX-BL24 Datasheet
SPZ-BL24 SB Variants	SPZ-BL24 Datasheet
SPI-BL24 SB Variants	SPI-BL24 Datasheet
CID2 BL24	CID2-BL24 Datasheet

Change Detail	
Description of Change	Raytec are announcing the End of Life of the BL24 supplied with a stirrup bracket (SB) mounting. A full list of EOL part numbers can be found in appendix 1.
Reason for Change	The BL24 is currently available with SB and SB30 brackets. As part of a rationalisation, the SB bracket is being discontinued. The SB30 bracket remains available and is technically superior to the SB bracket, offering users a greater range of rotation for pole mount & floodlight applications. (See appendix 2)
Implementation Plan	Any open orders of the BL24-SB or BL24-EMX-SB will be honored but customers will see the option removed from the price list with immediate effect. If the SB bracket is still required, customers may order it as a separate item from the bulkhead accessories list using the part code SPX-BKT-BLST.
Recommendations	If stirrup mounting is required, customers should order part numbers ending SB30



Approvals				
	Signed	Name	Title	Date
Issued by		David Peters	Product Line Manager	30 th June 2022
Approved by		Sarah Shires	Sales Manager	30 th June 2022

Appendix 1: List of EOL Part Number

SPX-BL24-W-1010-SB	SPZ-BL24-W-1010-CID2-SB
SPX-BL24-W-1010-EMX25 -SB	SPZ-BL24-W-1010-EMX25-CID2-SB
SPX-BL24-W-3030-SB	SPZ-BL24-W-3030-CID2-SB
SPX-BL24-W-3030-EMX25-SB	SPZ-BL24-W-3030-EMX25-CID2-SB
SPX-BL24-W-5050-SB	SPZ-BL24-W-5050-CID2-SB
SPX-BL24-W-5050-EMX25-SB	SPZ-BL24-W-5050-EMX25-CID2-SB
SPX-BL24-W-120120-SB	SPZ-BL24-W-120120-CID2-SB
SPX-BL24-W-120120-EMX25-SB	SPZ-BL24-W-120120-EMX25-CID2-SB
SPX-BL24-W-3510-SB	SPZ-BL24-W-3510-CID2-SB
SPX-BL24-W-3510-EMX25-SB	SPZ-BL24-W-3510-EMX25-CID2-SB
SPX-BL24-W-6025-SB	SPZ-BL24-W-6025-CID2-SB
SPX-BL24-W-6025-EMX25-SB	SPZ-BL24-W-6025-EMX25-CID2-SB
SPX-BL24-W-8030-SB	SPZ-BL24-W-8030-CID2-SB
SPX-BL24-W-8030-EMX25-SB	SPZ-BL24-W-8030-EMX25-CID2-SB
SPX-BL24-W-12050-SB	SPZ-BL24-W-12050-CID2-SB
SPX-BL24-W-12050-EMX25-SB	SPZ-BL24-W-12050-EMX25-CID2-SB
SPZ-BL24-W-1010-SB	SPI-BL24-W-1010-SB
SPZ-BL24-W-1010-EMX25 -SB	SPI-BL24-W-1010-EMX25 -SB
SPZ-BL24-W-3030-SB	SPI-BL24-W-3030-SB
SPZ-BL24-W-3030-EMX25-SB	SPI-BL24-W-3030-EMX25-SB
SPZ-BL24-W-5050-SB	SPI-BL24-W-5050-SB
SPZ-BL24-W-5050-EMX25-SB	SPI-BL24-W-5050-EMX25-SB
SPZ-BL24-W-120120-SB	SPI-BL24-W-120120-SB
SPZ-BL24-W-120120-EMX25-SB	SPI-BL24-W-120120-EMX25-SB
SPZ-BL24-W-3510-SB	SPI-BL24-W-3510-SB
SPZ-BL24-W-3510-EMX25-SB	SPI-BL24-W-3510-EMX25-SB
SPZ-BL24-W-6025-SB	SPI-BL24-W-6025-SB
SPZ-BL24-W-6025-EMX25-SB	SPI-BL24-W-6025-EMX25-SB
SPZ-BL24-W-8030-SB	SPI-BL24-W-8030-SB
SPZ-BL24-W-8030-EMX25-SB	SPI-BL24-W-8030-EMX25-SB
SPZ-BL24-W-12050-SB	SPI-BL24-W-12050-SB
SPZ-BL24-W-12050-EMX25-SB	SPI-BL24-W-12050-EMX25-SB

Appendix 2 : SB30 vs SB Rotation

When mounted to a post top, wall top, perimeter fence or similar application the SB30 bracket offers the user the flexibility to point the luminaire groundward. As opposed to the SB bracket it replaces, which only allows the luminaire to be pointed horizontally.

**BL24-SB30****BL24-SB**